



Explore Our Solutions

Product Selection Catalog



A Tile & Stone Installation and Care Systems

B Masonry Veneer Installation Systems

C Resinous/Decorative Finishes

D Concrete Construction Chemicals

E Surface Preparation / LATICRETE® SUPERCAP® System

Globally Proven Construction Solutions

SPARTACOTE™ FLEX SB

Refer to Data Sheet 086.4



Is a 72% solids, two-part polyaspartic aliphatic polyurea coating for both decorative and protective applications. This UV stable material may be applied in a variety of applications as a prime, mid or top coat depending on the system. 1:1 mixing ratio NOTE: SPARTACOTE™ Flex SB may not be available in all locations.

FEATURES/BENEFITS:

- Walk on in 2-4 Hours, 24-hour return to service
- UV stable
- Low temperature cure (-30 F°/-34 C°)

COLORS:

Pigment Base: Available in 14 standard colors. Custom colors available upon request. See Polyaspartic Pigment Color Chart on page 117 for a list of available colors

PACKAGING:**SPARTACOTE™ Flex SB CLEAR**

2 gal (7.6 L) Box Kit Contains:

Part A: 1 gal (3.8 L) / Part B: 1 gal (3.8 L)

Individual Units:

Part A / Part B: 5 gal (18.9 L) pail

SPARTACOTE Flex SB Pigment Base

2 gal (7.6 L) Box Kit Contains:

Part A Short filled 0.75 gal (2.8 L) in a 1 gal (3.8 L) can

Part B 1 gal (3.8 L) pail

Individual Units:

Part A: Short filled 3.75 gal (14.2 L) in a 5 gal (18.9 L) pail

Part B: 5 gal (18.9 L) pail

Product	Item Number
SPARTACOTE™ Flex SB Clear Kit (2 gal)	9100-0002-2
SPARTACOTE Flex SB Clear	
Part A — 5 gal Pail	9105-0005-2
Part B — 5 gal Pail	9106-0005-2
SPARTACOTE Flex SB Pigment Base Kit (2 gal)	9115-0002-2
SPARTACOTE Flex SB Pigment Base	
Part A — 3.75 gal in 5 gal Pail	9114-0375-2
Part B — 5 gal Pail	9119-0005-2

SPARTACOTE FLEX PURE™

Refer to Data Sheet 086.6



A ultra high solids, low VOC two-part polyaspartic aliphatic polyurea coating. It is an ideal coating solution for institutional facilities, hospitals, schools, government and any other project requiring a highly durable and low odor coating with rapid return to service capabilities. 1:1 mix ratio.

FEATURES/BENEFITS:

- Walk on in 2-4 Hours, 24-hour return to service
- UV stable
- Low VOC, low odor

COLORS:

Pigment Base: Available in 14 colors standard. Custom colors available upon request. See Polyaspartic Pigment Color Chart on page 117 for a list of available colors

PACKAGING:**SPARTACOTE FLEX PURE™ Clear**

2 gal (7.6 L) Box Kit Contains:

Part A: 1 gal (3.8 L) / Part B: 1 gal (3.8 L)

Individual Units:

Part A / Part B: 5 gal (18.9 L) pail

SPARTACOTE FLEX PURE Pigment Base

2 gal (7.6 L) Box Kit Contains:

Part A: Short filled 0.75 gal (2.8 L) in a 1 gal (3.8 L) can

Part B: 1 gal (3.8 L) pail

Individual Units:

Part A: Short filled 3.75 gal (14.2 L) in a 5 gal (18.9 L) pail

Part B: 5 gal (18.9 L) pail

Product	Item Number
SPARTACOTE FLEX PURE™ Clear Kit (2 gal)	9140-0002-2
SPARTACOTE FLEX PURE Clear	
Part A — 5 gal Pail	9145-0005-2
Part B — 5 gal Pail	9146-0005-2
SPARTACOTE FLEX PURE Pigment Base Kit (2 gal)	9150-0002-2
SPARTACOTE FLEX PURE Pigment Base	
Part A — 3.75 gal in 5 gal Pail	9153-0375-2
Part B — 5 gal Pail	9156-0005-2

See product data sheets.

SPARTACOTE FLEX PURE CLINICAL PLUS

Refer to Data Sheet 086.7



A low VOC and low odor, fast curing, two part polyaspartic aliphatic polyurea coating for hospitals, veterinary clinics, pharmaceutical facilities. It provides a rapid cure, durable, seamless finish combined with anti-microbial properties. 1:1 mix ratio.

FEATURES/BENEFITS:

- Walk on in 2-4 Hours, 24-hour return to service
- UV stable
- Anti-microbial protection inhibits the growth of bacteria

COLORS:

Pigment Base: Available in 14 colors standard. Custom colors available upon request. See Polyaspartic Pigment Color Chart on page 117 for a list of available colors

PACKAGING:**SPARTACOTE Flex Pure Clinical Plus****Individual Units:**

Part A 5 gal (18.9 L) pail

SPARTACOTE Flex Pure Clinical Plus Pigment Base**Individual Units:**

Part A: Short filled 3.75 gal (14.2 L) in a 5 gal (18.9 L) pail

SPARTACOTE FLEX XPL

Refer to Data Sheet 32830.0

NEW

Is a high solids, low VOC and minimal odor resinous coating for both decorative and protective applications. Engineered to retain a low viscosity for longer periods of time, allowing for extended working times and better flow. 2:1 mix ratio

FEATURES/BENEFITS:

- Walk-on in 4 hours, 24-hour return to service
- UV stable
- Extended working time

COLORS:

Pigment Base: Available in 14 standard colors. Custom colors available upon request. See Polyaspartic Pigment Color Chart on page 117 for a list of available colors

PACKAGING:**SPARTACOTE Flex XPL Clear****Individual Units:**

Part A: 2 gal (7.6 L) in a 3.5 gal (13.2 L) pail

Part B: 1 gal (3.8 L) can

Part A: 5 gal (18.9 L) pail

Part B: 5 gal (18.9 L) pail

SPARTACOTE Flex XPL Pigment Base Individual Units:

Part A: Short filled 1.75 gal (6.6 L) in a 3.5 gal (13.2 L) pail

Part A: Short filled 3.75 gal (14.2 L) in a 5 gal (18.9 L) pail

Product	Item Number
SPARTACOTE Flex Clinical Plus Clear	
Part A — 5 gal Pail	9380-0005-2
SPARTACOTE FLEX Clinical Plus Pigment Base	
Part A — 3.75 gal in 5 gal Pail	9382-0005-2

Product	Item Number
SPARTACOTE™ FLEX XPL Clear Kit	
Part A — 2 gal Pail	9141-0002-2
Part B — 1 gal Pail	9143-0001-2
Part A — 5 gal Pail	9144-0005-2
Part B — 5 gal Pail	9149-0005-2
SPARTACOTE FLEX XPL Pigment Base	
Part A — 1.75 gal Pail	9142-0175-2
Part A — 3.75 gal Pail	9148-0375-2

SPARTACOTE™ FLEX XT

Refer to Data Sheet 086.5



A high performance, 92% solids, polyaspartic coating material designed for rapid cure within heavy-duty environments. Ideal for use as a top coat system over polyaspartic or epoxy coating. SPARTACOTE™ Flex XT is a green-friendly, low VOC and low odor product that allows for rapid return to service. 1:1 mix ratio.

FEATURES/BENEFITS:

- Walk on in 2-4 Hours, 24-hour return to service
- UV stable
- 1-2 hour re-coat time

COLORS:

Pigment Base: Available in 14 standard colors. Custom colors available upon request. See POLYASPARTIC PIGMENT Color Chart on page 117 for a list of available colors

PACKAGING:

SPARTACOTE FLEX XT CLEAR

2 gal (7.6 L) Box Kit Contains:

Part A: 1 gal (3.8 L) / Part B: 1 gal (3.8 L)

Individual Units:

Part A / Part B: 5 gal (18.9 L) pail

SPARTACOTE FLEX XT PIGMENT BASE

2 gal (7.6 L) Box Kit Contains:

Part A: Short filled 0.75 gal (2.8 L) in a 1 gal (3.8 L) pail

Part B: 1 gal (3.8 L) pail

Product	Item Number
SPARTACOTE™ FLEX XT Clear Kit (2 Gallons)	9130-0002-2
SPARTACOTE FLEX XT Clear	
Part A — 5 gal Pail	91350005-2
Part B — 5 gal Pail	91360005-2
SPARTACOTE FLEX XT Pigment Base Kit (2 Gallons)	9137-0002-2

SPARTACOTE POLYASPARTIC PIGMENTS

Refer to Data Sheet 086.2



Designed for use with SPARTACOTE polyaspartic coating products, SPARTACOTE Polyaspartic Pigments are available in 14 standard colors. These resin based pigments are dispersed directly into short-filled Part A Pigment base to create.

FEATURES/BENEFITS:

- 14 standard colors, including safety colors
- UV stable, suitable for exterior applications
- Excellent color hid and retention
- Easy to use on-site color dispersion system

MIXING:

1 qt for 0.75 gal (0.9 L for 2.8 L) short filled Part A.
1.25 gal for 3.75 gal (4.7 L for 14.2 L) short filled Part A



Black
9168-0001-3: 1 qt (0.9 L)
9184-0125-3: 1.25 gal (4.7 L)



White
9166-0001-10: 1 qt (0.9 L)
9185-0125-10: 1.25 gal (4.7 L)



Dark Blue
9169-0001-4: 1 qt (0.9 L)




Light Grey
9160-0001-7: 1 qt (0.9 L)
9180-0125-7: 1.25 gal (4.7 L)



Medium Grey
9161-0001-8: 1 qt (0.9 L)
9181-0125-8: 1.25 gal (4.7 L)



Dark Grey
9162-0001-9: 1 qt (0.9 L)



Light Beige
9163-0001-11: 1 qt (0.9 L)



Sand Beige
9164-0001-12: 1 qt (0.9 L)
9182-0125-12: 1.25 gal (4.7 L)



Dark Beige
9165-0001-13: 1 qt (0.9 L)
9183-0125-13: 1.25 gal (4.7 L)



Tile Red
9170-0001-5: 1 qt (0.9 L)



Bright Green
9171-0001-6: 1 qt (0.9 L)



Light Brown
9167-0001-14: 1 qt (0.9 L)



Safety Red
9173-0001-16: 1 qt (0.9 L)



Safety Yellow
9172-0001-15: 1 qt (0.9 L)

Product	Item Number
SPARTACOTE Polyaspartic Pigment 1 qt (0.9 L) unit Combine with Part A Short Filled 0.75 gal (0.9 L) in 1 gal (3.8 L) pail	See Codes
SPARTACOTE Polyaspartic Pigment 1.25 gal (4.7 L) unit Combine with Part A Short Filled 3.75 gal (14.2 L) in a 5 gal (18.9 L) pail	See Codes

NOTE: Pre-Pigmented 5 gal (18.9 L) Part A available upon request. Please allow for additional lead time when ordering.

SPARTACOTE™ MOISTURE VAPOR BARRIER

Refer to Data Sheet 087.5



SPARTACOTE™ Moisture Vapor Barrier is a single-coat, 100% solids, liquid applied two component pre-measured epoxy coating specifically designed for controlling the vapor emission rate from new and existing concrete slabs. Designed for use with SPARTACOTE Epoxy Pigments, its also available in clear.

FEATURES/BENEFITS:

- Exceeds ASTM F3010 standard
- Can be applied over new concrete in as little as 5 days
- Compatible with SPARTACOTE resinous coating systems
- UL GREENGUARD Gold Certified

COLORS:

Pigment Base: Available in 9 standard colors. Custom colors available upon request.
See SPARTACOTE EPOXY PIGMENTS Color Chart on page 119 for a list of available colors

PACKAGING:**Mini Unit Kit* – 2.5 gal (9.4 L) Kit Contains:**

Part A: 0.8 gal (2.8 L) packaged in steel pail / Part B: 1.7 gal (6.6 L) packaged in steel pail

Full Unit Kit* – 6.5 gal (24.6 L) Kit Contains:

Part A: 2.2 gal (8.3 L) packaged in steel pail / Part B: 4.3 gal (16.3 L) packaged in steel pail

SPARTACOTE™ MOISTURE VAPOR BARRIER PIGMENT BASE**Mini Unit Kit* – 2.5 gal (3 L) Kit Contains:**

Part A: 0.8 gal (2.8 L) packaged in steel pail / Short Filled Part B: 1.4 gal (5.3 L) packaged in steel pail to receive 1 qt (0.9 L) SPARTACOTE Epoxy Pigment

Full Unit Kit* – 6.5 gal (22.7 L) Kit Contains:

Part A: 2.2 gal (8.3 L) packaged in steel pail / Short Filled Part B: 3.8 gal (14.3 L) packaged in steel pail to receive 0.5 gal (1.9 L) Spartacote Epoxy Pigment

Product	Item Number
SPARTACOTE™ Moisture Vapor Barrier Mini Unit Kit	9220-0003-2
SPARTACOTE Moisture Vapor Barrier Full Unit Kit	9220-0006-2
SPARTACOTE Moisture Vapor Barrier Pigment Base Mini Kit	9220-0022-2
SPARTACOTE Moisture Vapor Barrier Pigment Base Full Kit	9220-0055-2



*SPARTACOTE™ Moisture Vapor Barrier is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

SPARTACOTE EPOXY PIGMENTS



Designed for use with SPARTACOTE Moisture Vapor Barrier, SPARTACOTE Epoxy pigments are available in 9 standard colors. These Epoxy based pigments are dispersed directly into short filled Part B pigment base.

FEATURES/BENEFITS:

- 9 standard colors
- Easy mixing

PACKAGING:

1 qt (0.9 L) unit for Mini Unit Kit

0.5 gal (1.9 L) unit for Full Unit Kit



Black
1 qt (0.9 L) 9236-0001-3:
0.5 gal (4.7 L) 9236-0005-3:



White
1 qt: 9236-0001-10
0.5 gal: 9236-0005-10




Light Grey
1 qt: 9236-0001-7
0.5 gal: 9236-0005-7



Medium Grey
1 qt: 9236-0001-8
0.5 gal: 9236-0005-8



Dark Grey
1 qt: 9236-0001-9
0.5 gal: 9236-0005-9



Light Beige
1 qt: 9236-0001-11
0.5 gal: 9236-0005-11



Sand Beige
1 qt: 9236-0001-12
0.5 gal: 9236-0005-12



Dark Beige
1 qt: 9236-0001-13
0.5 gal: 9236-0005-13



Tile Red
1 qt: 9236-0001-5
1 gal: 9236-0005-5

Product	Item Number
SPARTACOTE Epoxy Pigment 1 qt (0.9 L) unit Combine with Part B Short Filled 1.4 gal (5.3 L) SPARTACOTE Moisture Vapor Barrier	See Codes
SPARTACOTE Epoxy Pigment 0.5 gal (1.9 L) unit Combine with Part B Short Filled 3.8 gal (14.3 L) SPARTACOTE Moisture Vapor Barrier	See Codes

NOTE: Pre-Pigmented 5 gal (18.9 L) Part A available upon request. Please allow for additional lead time when ordering.



SPARTACOTE™ GENERAL PRIMER

Refer to Data Sheet 622.6



SPARTACOTE™ General Primer is a general purpose primer designed for use under SPARTACOTE resinous coating systems. It provides good adhesion to a variety of substrate including concrete, steel, cement board and CMU.

FEATURES/BENEFITS:

- Low VOC, low odor
- Moisture tolerant
- Strong intercoat adhesion

PACKAGING:

- 5 gal (18.9 L) Kit
- Part A: 3.3 gal (12.5 L) in a 5 gal (18.9 L) pail
 - Part B: 1.7 gal (6.4 L) in a 3.5 gal (13.2 L) pail



SPARTACOTE OIL TOLERANT PRIMER

Refer to Data Sheet 622.9



A two component epoxy primer, designed to enhance the bond of all SPARTACOTE resinous coating systems to concrete contaminated with various types of vegetable and petroleum oils.

FEATURES/BENEFITS:

- Low VOC, low odor
- Bonds to oil contaminated concrete
- Strong intercoat adhesion

PACKAGING:

- 5 gal (18.9 L) Kit
- Part A: 3.2 gal (12.1 L) in a 5 gal (18.9 L) pail
 - Part B: 1.8 gal (6.8 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE™ General Primer	9807-0005-2

Product	Item Number
SPARTACOTE Oil Tolerant Primer	9804-0005-2

*SPARTACOTE™ General Primer is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

*SPARTACOTE Oil Tolerant Primer is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

NEW**SPARTACOTE WB EPOXY PRIMER**

Refer to Data Sheet 085.8



A fast drying low odor, waterborne, catalyzed polymer primer for concrete substrates. The product provides excellent adhesion to new or existing concrete and is intended for use in conjunction with SPARTACOTE resinous coatings as a multicoat system. Available in Clear as well as Sand Beige, Light Grey and Black.

FEATURES/BENEFITS:

- LEED eligible low VOC formula
- Excellent intercoat adhesion
- Fast re-coat times

PACKAGING:

- Part A: 1.5 gal (5.7 L) in 3 gal (11.4 L) pail
- Part B: 1 gal (3.8 L) pail

MIXING:

Combine three Parts A with two Part B by volume (3:2)

SPARTACOTE URETHANE PRIMER WB

Refer to Data Sheet 622.4



A waterborne aliphatic urethane primer suitable for use over a variety of substrate including concrete, wall board and CMU.

FEATURES/BENEFITS:

- Low VOC, low odor
- Excellent adhesion
- Soap and water clean up

PACKAGING:

- 2 gal (7.6L) Kit
- Part A: 1.7 gal (6.4L) in a 2 gal (7.8L) pail
- Part B: 0.3 gal (1.1L) in a 1 gal (3.8L) can

Product	Item Number
SPARTACOTE WB Epoxy Primer	
Part A - 1.5 gal	9201-0003-2
Part B (Clear) - 1 gal	9202-0001-2
Part B (Sand Beige) - 1 gal	9203-0001-12
Part B (Light Grey) - 1 gal	9204-0001-7
Part B (Black)	9205-0001-3

Product	Item Number
SPARTACOTE Urethane Primer WB	9801-0002-2

*SPARTACOTE Urethane Primer WB is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.



SPARTACOTE™ SL TOPPING

Refer to Data Sheet 615.0



SPARTACOTE SL Topping is a general purpose, semi self leveling epoxy coating. It exhibits good abrasion, wear and chemical resistance making it a versatile multi-functional epoxy. Designed to be used with SPARTACOTE Surface Build Pigments, it can be tinted Light Grey, Dark Grey, Black and Beige.

FEATURES/BENEFITS:

- Low VOC, low odor
- High solids composition
- Exceptional strength and flexibility
- Semi self-leveling

COLORS:

See PIGMENT Color Chart on page 123 for a list of available colors

PACKAGING:

Short filled 5 gal (18.9L) kit

- Part A: 2.7 gal (10.2 L) in a 5 gal (18.9 L) pail
- Part B: 1.7 gal (6.4 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE SL TOPPING	9805-0005-2



SPARTACOTE SURFACE BUILD FLAKE

Refer to Data Sheet 623.1



SPARTACOTE Surface Build Flake is a high performance two-part epoxy designed specifically for use with decorative flake broadcasts. It creates a tough, durable, seamless coating. Designed to be used with SPARTACOTE Surface Build Pigments, it can be tinted Light Grey, Dark Grey, Black and Beige.

FEATURES/BENEFITS:

- Provides unique multi-colored patterns
- Low VOC, low odor
- Tough and durable
- Easy flake broadcast application

COLORS:

See PIGMENT Color Chart on page 123 for a list of available colors

PACKAGING:

Short filled 5 gal (18.9L) kit

- Part A: 2.7 gal (10.2 L) in a 5 gal (18.9 L) pail
- Part B: 1.7 gal (6.4 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE SURFACE BUILD FLAKE	9811-0005-2

*SPARTACOTE SL Topping is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

*SPARTACOTE Surface Build Flake is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

NEW**SPARTACOTE™ SURFACE BUILD PIGMENTS**

Refer to Data Sheet 623.4



SPARTACOTE™ Surface Build Pigments are a color concentrate for use with SPARTACOTE SL Topping and SPARTACOTE Surface Build Flake. Available in 4 standard colors.

FEATURES/BENEFITS:

- Low VOC
- Vibrant, consistent color
- Easy mixing

PACKAGING:

0.6 gal in a 1 gal (2.3 L in 1 3.8 L) pail



Black
9236-0001-21



Light Grey
9236-0001-19



Medium Grey
9236-0001-20



Sand Beige
9236-0001-22

Product	Item Number
SPARTACOTE™ Surface Build Pigments	See Codes Above

SPARTACOTE™ SURFACE BUILD 110

Refer to Data Sheet 086.8



SPARTACOTE™ SURFACE BUILD 110 is a medium viscosity, 100% solids, self-leveling epoxy for use as a concrete primer or intermediate coating.

FEATURES/BENEFITS:

- Low VOC
- Impact resistant
- Excellent adhesion to concrete
- Strong intercoat adhesion

PACKAGING:**SPARTACOTE™ SURFACE BUILD 110**

2 gal (7.6 L) Box Kit Contains:

Part A: 1 gal (3.8 L) / Part B: 1 gal (3.8 L)

Individual Units:

Part A / Part B: 5 gal (18.9 L) pail

MIXING:

Combine equal volumes of Part A and Part B (1:1).

Product	Item Number
SPARTACOTE™ SURFACE BUILD 110 Kit (2 gal Kits)	
Clear	9210-0002-2
Light Grey	9218-0002-7
Sand Beige	9219-0002-12
SPARTACOTE SURFACE BUILD 110	
Part A — 5 gal Pail	9226-0005-2
Part B — 5 gal Pail	9228-0005-2



SPARTACOTE SURFACE BUILD 150

Refer to Data Sheet 086.9



A medium viscosity, 100% solids epoxy coating. This product may also be used as a filler coat on concrete that has been mildly spalled due to excessive wear. It provides a high gloss finish.

FEATURES/BENEFITS:

- Low VOC
- Impact resistant
- Excellent build coat over existing tile

PACKAGING:

SPARTACOTE SURFACE BUILD 150

- Part A: 2 gal (7.6 L) in a 3 gal (11.3 L) pail
- Part B: 1 gal (3.8 L) in steel pail
- Part A / Part B: 5 gal (18.9 L) pail

MIXING:

Combine two Parts A to one Part B by volume (2:1)

Product	Item Number
SPARTACOTE SURFACE BUILD 150	
Part A — 2 gal in a 3 gal Pail	9230-0002-2
Part B — 1 gal Pail	9231-0001-2
SPARTACOTE SURFACE BUILD 150	
Part A — 5 gal Pail — two units required	9233-0005-2
Part B — 5 gal Pail	9234-0005-2

SPARTACOTE SURFACE BUILD QUARTZ

Refer to Data Sheet 623.0



SPARTACOTE Surface Build Quartz is a high performance two part epoxy designed specifically for quartz broadcast systems. It offers excellent abrasion and chemical resistance.

FEATURES/BENEFITS:

- Unique multi-colored patterns
- Low VOC, low odor
- Excellent abrasion and chemical resistance
- Easy quartz broadcast application

PACKAGING:

5 gal (18.9 L) Kit

- Part A: 3.3 gal (12.5 L) in a 5 gal (18.9 L) pail
- Part B: 1.7 gal (6.4 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE Surface Build Quartz	9810-0005-2

*SPARTACOTE™ Surface Build Quartz is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

NEW**SPARTACOTE EPOXY MEMBRANE**

Refer to Data Sheet 622.3



SPARTACOTE Epoxy Membrane is a flexible epoxy membrane designed to bridge surface cracks in concrete. It can be used as an underlayment in any SPARTACOTE epoxy, urethane or polyaspartic resinous coating system.

FEATURES/BENEFITS:

- Exceptional strength and flexibility
- Designed for horizontal and vertical applications
- Easy to apply

PACKAGING:

5 gal (18.9 L) kit

- Part A: 3.0 gal (11.4 L) in a 5 gal (18.9 L) pail
- Part B: 2.0 gal (7.6 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE Epoxy Membrane	9800-0005-2

*SPARTACOTE Epoxy Membrane is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

NEW**SPARTACOTE COVE GEL**

Refer to Data Sheet 622.5



SPARTACOTE Cove Gel is an epoxy system designed for the installation of integral cove bases from 1/16" to 1/4" (1.5 to 6 mm) thick. It can be used in conjunction with SPARTACOTE epoxy, urethane and polyaspartic systems to create a seamless coating which extends protection from the floor up the wall.

FEATURES/BENEFITS:

- Low VOC, low odor
- Seamless transition between floors and walls
- Easy to apply

PACKAGING:

5 gal (18.9 L) kit

- Part A: 3.2 gal (12.1 L) in a 5 gal (18.9 L) pail
- Part B: 1.8 gal (6.8 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE Cove Gel	9806-0005-2

*SPARTACOTE Cove Gel is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

SPARTACOTE™ EPOXY FILL COAT

Refer to Data Sheet 623.3

NEW

SPARTACOTE™ Epoxy Fill Coat is an epoxy based material designed for filling surface defects, pinholes and voids in concrete substrates. It can be troweled or squeegeed for use in both horizontal and vertical applications.

FEATURES/BENEFITS:

- Low VOC, low odor
- Designed for horizontal and vertical applications
- Easy to apply by trowel or squeegee

PACKAGING:

2 gal (7.6 L) kit

- Part A: 1.4 gal (5.3 L) in a 3.5 gal pail
- Part B: 0.6 gal (2.3 L) in a 3.5 gal pail

Product	Item Number
SPARTACOTE™ Epoxy Fill Coat	9813-0002-2

*SPARTACOTE Epoxy Fill Coat is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

SPARTACOTE VERTICAL WB

Refer to Data Sheet 622.7

NEW

SPARTACOTE Vertical WB is a two component, waterborne, aliphatic urethane wall coating. It provides a class A fire rating in addition to excellent abrasion resistance, chemical resistance and toughness. Available in White Satin and White Gloss finishes.

FEATURES/BENEFITS:

- Class A fire rating
- Low VOC, low odor
- Excellent chemical and stain resistance

PACKAGING:

2 gal (7.6L) Kit

- Part A: 1.7 gal (5.7 L) in 2 gal (7.6 L) pail
- Part B: 0.3 gal (7.2 L) in a 1 gal (3.8 L) can

Product	Item Number
SPARTACOTE Vertical WB	
White Satin	9808-0005-2
White Gloss	9814-0005-2

*SPARTACOTE Vertical WB is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

NEW**SPARTACOTE VERTICAL HB**

Refer to Data Sheet 622.8



SPARTACOTE Vertical HB is a multi-functional pigmented high build novolac epoxy coating for wall and ceiling applications. Available in a white gloss finish.

FEATURES/BENEFITS:

- Excellent adhesion on wall & ceilings
- Low VOC, low odor
- Excellent stain resistance

PACKAGING:

5 gal (18.9 L) kit

- Part A: 3.7 gal (14 L) in a 5 gal (18.9 L) pail
- Part B: 1.3 gal (4.9 L) in a 3.5 gal (13.2 L) pail

NEW**SPARTACOTE SURFACE BUILD TOP COAT UV**

Refer to Data Sheet 623.2



SPARTACOTE Surface Build Top Coat UV is a high performance top coat providing increased UV and chemical resistance to SPARTACOTE epoxy coating systems.

FEATURES/BENEFITS:

- Low VOC, low odor
- Provides additional UV protection
- Excellent intercoat adhesion
- Soap and water clean up

PACKAGING:

5 gal (18.9L) kit

- Part A: 3.1 gal (11.7 L) in a 5 gal (18.9 L) pail
- Part B: 1.9 gal (7.2 L) in a 3.5 gal (13.2 L) pail

Product	Item Number
SPARTACOTE Vertical HB	
White Gloss	9809-0005-2

*SPARTACOTE Vertical HB is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

Product	Item Number
SPARTACOTE Surface Build Top COAT UV	
	9812-0005-2

*SPARTACOTE Surface Build Top Coat UV is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.



SPARTACOTE™ URETHANE FLOOR SEALER WB

Refer to Data Sheet 626.0



SPARTACOTE™ Urethane Floor Sealer WB is a two component water born aliphatic coating. It offers the exceptional chemical and wear resistance inherent of urethanes. It also provides additional resistance to UV discoloration. Available in both a satin and matte finish.

FEATURES/BENEFITS:

- Low VOC, low odor
- Excellent chemical and abrasion resistance
- Excellent UV resistance
- Soap and water clean up

PACKAGING:

2 gal (7.6 L) kit

- Part A: 1.5 gal (5.7 L) in 3 gal (11.4 L) pail
- Part B: 0.5 gal (1.9 L) in a 1 gal (3.8 L) can

Product	Item Number
SPARTACOTE™ Urethane Floor Sealer	
Satin Finish	9802-0002-2
Matte Finish	9803-0002-2

*SPARTACOTE™ Urethane Floor Sealer is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

SPARTACOTE URETHANE CEMENT

Refer to Data Sheet 014.5



A seamless flooring system typically installed at 1/8" to 1/4" (3 to 6 mm) in thickness depending on the application. It consists of a Part A and Part B liquid as well as a Part C filler and additional pigment pack. The system is intended for heavy duty environments and designed to withstand thermal shock, impact, abrasion and chemical exposure.

FEATURES/BENEFITS:

- Attractive matte finish
- Excellent thermal shock, chemical and abrasion resistance
- Low VOC, low odor
- Resistant to fungi per ASTM G-12

PACKAGING:

- Part A: 1 gal (3.8 L) / 5 gal (18.9 L)
- Part B: 1 gal (3.8 L) / 5 gal (18.9 L)
- Part C Filler: 56 lb. (25.40 kg)
- Cove Base Filler: 28.5lbs (12.9 kg)
- Top Coat Filler: 6.5lbs (2.95 kg)
- Urethane Cement Pigment: 1 lb. (0.45 kg)

Product	Item Number
SPARTACOTE Urethane Cement Part A (1 gal)	9250-0001-1
SPARTACOTE Urethane Cement Part B (1 gal) (3.8 L)	9252-0001-1
SPARTACOTE Urethane Cement Part A (5 gal) (18.9 L)	9251-0005-1
SPARTACOTE Urethane Cement Part B (5 gal)	9253-0005-1
SPARTACOTE Urethane Cement Part C Slurry Filler (56 lb)	9254-0001-1
SPARTACOTE Urethane Cement Cove Base Filler (28.5 lb)	9249-0028-1
SPARTACOTE Urethane Cement Top Coat Filler	9255-0001-1

SPARTACOTE URETHANE CEMENT PIGMENT



Black
9265-0001-1



Red
9264-0001-1



Tan
9262-0001-1



Green
9263-0001-1



Medium Grey
9260-0001-1



Dark Grey
9261-0001-1

SPARTACOTE Urethane Cement Pigment are pigment packs designed for use within SPARTACOTE Urethane Cement systems to provide an attractive matte finish. Available in 6 standard colors.

FEATURES/BENEFITS:

- Attractive matte finish

Product	Item Number
SPARTACOTE Urethane Cement Pigments	See Codes Above

SPARTACOTE™ FAST FIX™ / FAST FIX LOW ODOR

Refer to Data Sheet 086.0



SPARTACOTE™ FAST FIX™ is a fast setting, two component hybrid urethane concrete repair material, with ultra-low viscosity properties allowing for deep penetration into concrete. Use either neat or with a kiln-dried sand to form a high strength concrete repair. Ready to grind smooth within 15 minutes following application. Also available in a low odor formulation.

FEATURES/BENEFITS:

- High strength, permanent bond
- Use neat or with aggregate
- Excellent wetting properties
- Can be ground smooth in 15 minutes

PACKAGING:

2 gal (7.6 L) Box Kit Contains:

Part A: 1 gal (3.8 L) / Part B: 1 gal (3.8 L)

Individual Items:

Part A / Part B: 5 gal (18.9 L) steel pail with pour spout

Product	Item Number
SPARTACOTE™ FAST FIX™ Box Kit (2 gal)	9500-0002-2
SPARTACOTE FAST FIX	
Part A – 5 gal	9505-0005-2
Part B – 5 gal	9506-0005-2
SPARTACOTE FAST FIX Low Odor Box Kit (2 gal)	9530-0002-2
SPARTACOTE FAST FIX Low Odor	
Part A – 5 gal	9533-0005-2
Part B – 5 gal	9534-0005-2

SPARTACOTE BLENDED CHIP

Refer to Data Sheet 086.3



Decorative vinyl and mica color chips (flakes), are specially blended chip media to be used within SPARACOTE decorative resinous coating systems. This unique product is random in shape, sized within a standardized range and custom blended in 13 colors to match any decor.

FEATURES/BENEFITS:

- Good flexibility and strength
- Easy to install
- Non-flammable
- Compatible with SPARTACOTE resinous coatings

PACKAGING:

- Vinyl Chip: 55 lb (24.9 kg) box
- Mica Chip: 25 lb (11.3 kg) box

SPARTACOTE BLENDED MICA CHIP COLORS



Antique Gold Mica
9313-0025-2



Freestone Mica
9314-0025-2



Glacier Mica
9315-0025-2



Beechnut Mica
9316-0025-2



Copper River Mica
9317-0025-2

SPARTACOTE BLENDED VINYL CHIP COLORS



Copper Mountain
1/4" (6 mm)
9301-0055-2



Copper Mountain
1/8" (3 mm)
9310-0055-2



Black Canyon
1/8" (3 mm)
9304-0055-2



Salt & Pepper
1/4" (6 mm)
9305-0055-2




Desert Storm
1/4" (6 mm)
9302-0055-2



Granite
1/4" (6 mm)
9303-0055-2



Red Rocks
1/4" (6 mm)
9306-0055-2



Midnight Blue
1/4" (6 mm)
9307-0055-2

SPARTACOTE BLENDED QUARTZ

Refer to Data Sheet 087.2



Colored quartz aggregates are composed of uniformly shaped and sized color quartz granules color-coated with a UV stable urethane coating. Select from one of ten decorative SPARTACOTE™ blends to provide a customized look that will enhance appearance while providing increased traction and durability.

FEATURES/BENEFITS:

- UV Stable
- Optimal size/shape uniformity
- Extreme abrasion and impact resistance
- Outstanding slip resistant qualities

PACKAGING:

- 50 lb bag (22.7 kg)



Limestone
9331-0050-2



Slate
9338-0050-2



Cobblestone
9326-0050-2



Mojave
9333-0050-2



Blue Moon
9323-0050-2



Brick
9324-0050-2



Flint
9328-0050-2



Evening
9327-0050-2



Sandstone
9336-0050-2



Lemongrass
9330-0050-2

SPARTACOTE METALLIC PIGMENTS

Refer to Data Sheet 085.7



SPARTACOTE METALLIC PIGMENTS use synthetically produced aluminum platelets coated with metal oxides to produce beautiful color intensity and luster. Designed to be added directly into SPARTACOTE coating products, these materials may be applied using a variety of methods depending on the desired final appearance.

FEATURES/BENEFITS:

- Provides incredible depth and radiance
- High reflectivity
- UV Stable
- Easy field blending & application
- Unlimited application potential

PACKAGING:

- 8 oz (237 ml) bottle
- 32 oz (0.9 L) bottle



Cobalt Blue
9454-0008-2: 8 oz (237 ml)
9453-0032-2: 32 oz (0.9 L)



Chrome
9450-0008-2: 8 oz (237 ml)
9449-0032-2: 32 oz (0.9 L)



Copper
9458-0008-2: 8 oz (237 ml)
9457-0032-2: 32 oz (0.9 L)



Royal Purple
9464-0008-2: 8 oz (237 ml)
9463-0032-2: 32 oz (0.9 L)



Electric Orange
9460-0008-2: 8 oz (237 ml)
9459-0032-2: 32 oz (0.9 L)



Arctic Ice
9442-0008-2: 8 oz (237 ml)
9441-0032-2: 32 oz (0.9 L)



Deep Cherry
9452-0008-2: 8 oz (237 ml)
9451-0032-2: 32 oz (0.9 L)



Aspen Sunset
9444-0008-2: 8 oz (237 ml)
9443-0032-2: 32 oz (0.9 L)



Walnut
9448-0008-2: 8 oz (237 ml)
9447-0032-2: 32 oz (0.9 L)



Spanish Gold
9446-0008-2: 8 oz (237 ml)
9445-0032-2: 32 oz (0.9 L)



Coffee
9456-0008-2: 8 oz (237 ml)
9455-0032-2: 32 oz (0.9 L)



Gunmetal Grey
9462-0008-2: 8 oz (237 ml)
9461-0032-2: 32 oz (0.9 L)

SPARTACOTE™ VIVID DYE™

Refer to Data Sheet 085.6



A concentrated liquid based dye, SPARTACOTE™ VIVID DYE™ is to be dispersed into 1 gal (3.8 L) of acetone or water and then applied by sprayer to mechanically profiled concrete.

FEATURES/BENEFITS:

- Ultra low VOC
- Exceptional translucent color effects
- Easy field blending & application

PACKAGING:

- 5 oz (148 ml) bottle
- Available in 1 gal (3.8 L) unit upon request

MIXING:

5 oz per gallon (148 ml per 3.8 L)



Raw Sienna
9401-0005-2



Turquoise
9410-0005-2



Black
9416-0005-2



Walnut
9413-0005-2



Green
9406-0005-2



Pumpkin
9407-0005-2



Gold
9402-0005-2



Caramel
9405-0005-2



Citrus
9415-0005-2



Mahogany
9408-0005-2



Chocolate
9409-0005-2



Sapphire
9414-0005-2



Terra Cotta
9411-0005-2



Sepia
9404-0005-2



Dark Alder
9412-0005-2

SPARTACOTE GRIP

Refer to Data Sheet 086.7



A full line of traction additive materials for use within SPARTACOTE coating systems. This material is extremely lightweight. A viable alternative to heavier aggregates, SPARTACOTE GRIP can be dispersed and suspended directly into coatings or broadcast depending on application.

FEATURES/BENEFITS:

- Improves flooring system traction
- Suspends evenly into top coats
- Improves durability
- Preserved finish and clarity

PACKAGING:

- 40 mesh (largest) in a 16 fl. oz jar
- 60 mesh in a 16 fl. oz jar
- 100 mesh (smallest) in a 16 fl. oz jar

SPARTACOTE DIAMOND TOPP™

Refer to Data Sheet 085.9



A specialized additive for use in extreme heavy-traffic situations during the top coating phase of a project. SPARTACOTE DIAMOND TOPP™ will leave a light sandpaper texture and matte finish.

FEATURES/BENEFITS:

- Texture, non-slip surface
- Matte finish
- High chemical and stain resistance

PACKAGING:

- 3 lb (1.4 kg) unit
- 50 lb (22.7 kg) unit

Product	Item Number
SPARTACOTE™ GRIP 40 mesh (largest)	9350-0016-2
SPARTACOTE GRIP 60 mesh	9351-0016-2
SPARTACOTE GRIP 100 mesh (smallest)	9352-0016-2

Product	Item Number
SPARTACOTE DIAMOND TOPP™ 3 lb (1.4 kg) unit	9355-0003-2
SPARTACOTE DIAMOND TOPP 50 lb (22.7 kg) unit	9365-0050-2

SPARTACOTE™ TOOLS



SPARTACOTE™ is pleased to offer wholesale pricing on quality sundries and tools. These products are among those most widely used by SPARTACOTE coating contractors when applying resinous coating systems.

SPARTACOTE™ Roller Skin Box of 6
9730-0601-2



SPARTACOTE Roller Frame Pack of 6
9731-0301-2




SPARTACOTE Resin Broom Handle w/Handle & Head Includes one 36" (914 mm) Head
9720-0000-2





SPARTACOTE Resin Broom Replacement Head
9721-0001-2








STANDARD POLYASPARTIC COATING SYSTEMS COVERAGE AND MATERIAL USAGE GUIDE


SPARTACOTE™ GUARD Solid Color Coating		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE™ FLEX SB Pigment base kit	330 ft²/gal (8.1 m²/L) at 3 mil (0.076 mm) thickness
		See page 117	SPARTACOTE POLYASPARTIC PIGMENT	
	Second Coat	9115-0002-2	SPARTACOTE FLEX SB PIGMENT BASE KIT	330 ft²/gal (8.1 m²/L)
		See page 117	SPARTACOTE POLYASPARTIC PIGMENT	
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
		See page 135	SPARTACOTE GRIP™ Traction Additive	3 oz/gal (23 ml/L)


SPARTACOTE CHIP Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	330 ft²/gal (8.1 m²/L)
		See page 117	SPARTACOTE POLYASPARTIC PIGMENT	
	Broadcast Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
	Chip Broadcast	See page 131	SPARTACOTE Blended Chip, 55 lb (25 kg) box	400 ft²/box (37 m²/box)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	160 ft²/gal (3.9 m²/L)


SPARTACOTE MICA CHIP™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	330 ft²/gal (8.1 m²/L)
		See page 117	SPARTACOTE POLYASPARTIC PIGMENT	
	Broadcast Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
	Chip Broadcast	See page 131	SPARTACOTE Blended Mica Chip, 25 lb (11.3 kg) box	400 ft²/box (37 m²/box)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	160 ft²/gal (3.9 m²/L)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	300 ft²/gal (7.4 m²/L)

SPARTACOTE QUARTZ™ Quartz Flooring		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	330 ft²/gal (8.1 m²/L)
		See page 117	SPARTACOTE POLYASPARTIC PIGMENT	
	Quartz Broadcast	See page 133	SPARTACOTE Blended Quartz, 50 lb (22.7 kg) bag	200 ft²/bag (18.8 m²/bag)
	Broadcast Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	160 ft²/gal (3.9 m²/L)
	Quartz Broadcast	See page 132	SPARTACOTE Blended Quartz, 50 lb (22.7 kg) bag	200 ft²/bag (18.8 m²/bag)
	Grout Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	160 ft²/gal (3.9 m²/L)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	160 ft²/gal (3.9 m²/L)


SPARTACOTE™ STAIN Dye & Seal		Code	Description	Coverage
	Concrete Dye	See page 134	SPARTACOTE™ VIVID DYE™, 5 oz (148 ml) bottle	400 ft²/bottle (37 m²/bottle)
	Note: Disperse SPARTACOTE VIVID DYE into 1 gal (3.8 L) water or acetone			
	Mid Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
		See page 135	SPARTACOTE GRIP Traction Additive	3 oz/gal (23 ml/L)


SPARTACOTE SEAL Clear Sealer System		Code	Description	Coverage
	Prime Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
		See page 135	SPARTACOTE GRIP Traction Additive	3 oz/gal (23 ml/L)


SPARTACOTE METALLIC™ Pigment Flooring		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB PIGMENT BASE KIT	330 ft²/gal (8.1 m²/L)
		9168-0001-3	SPARTACOTE pigment (Black)	
	Metallic Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	100 ft²/gal (2.4 m²/L)
		See page 133	SPARTACOTE METALLIC PIGMENT, 8 oz (237 ml) jar	100 ft²/jar (2.4 m²/jar)
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
		See page 135	SPARTACOTE GRIP Traction Additive	3 oz/gal (23 ml/L)


SPARTACOTE DIAMOND TOPP™ Top Coat System		Code	Description	Coverage
	Top Coat	9010-0002-2	SPARTACOTE FLEX SB Clear	330 ft²/gal (8.1 m²/L)
		9355-0003-2	SPARTACOTE DIAMOND TOPP™ Additive, 3 lb (1.4 kg) jar	330 ft²/gal (8.1 m²/L)
	Note: SPARTACOTE DIAMOND TOPP™ may be used as a top-coat replacement on any SPARTACOTE coating system. Overall coverage may vary.			


SPARTACOTE™ PURE LOW VOC POLYASPARTIC COATING SYSTEMS COVERAGE AND MATERIAL USAGE GUIDE


SPARTACOTE™ STAIN PURE™ Dye & Seal		Code	Description	Coverage
	Concrete Dye	See page 119	SPARTACOTE™ VIVID DYE™, 5 oz (148 ml) bottle	400 ft²/bottle (37 m²/bottle)
	Note: Disperse SPARTACOTE VIVID DYE into 1 gal (3.8 L) water			
	Mid Coat	Part A: 9201-0003-2 Part B: 9202-0001-2	SPARTACOTE WB EPOXY PRIMER Part A: 1.5 gal (5.7 L) pail in 3 gal (11.4 L) pail Part B: 1 gal (3.8 L) pail	200 ft²/gal (4.9 m²/L)
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE™ Clear	200 ft²/gal (4.9 m²/L)
		See page 123	SPARTACOTE GRIP Traction Additive	3 oz/gal (23 ml/L)


SPARTACOTE SEAL PURE Clear Sealer System		Code	Description	Coverage
	Prime Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	200 ft²/gal (4.9 m²/L)
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	200 ft²/gal (4.9 m²/L)
		See page 123	SPARTACOTE GRIP Traction Additive	3 oz/gal (23 ml/L)

SPARTACOTE METALLIC PURE Metallic Flooring		Code	Description	Coverage
	Prime Coat	Part A: 9201-0003-2 Part B: 9205-0001-3	SPARTACOTE WB EPOXY PRIMER SPARTACOTE WB EPOXY PRIMER (Black)	200 ft²/gal (4.9 m²/L)
	Metallic Coat	Part A: 9230-0002-2 Part B: 9231-0001-2	SPARTACOTE SURFACE BUILD 150 Part A: 2 gal (7.6 L) in 3 gal (11.4 L)/ pail Part B: 1 gal (3.8 L)	80 ft²/gal (2 m²/L)
		See page 120	SPARTACOTE METALLIC PIGMENTS	80 ft²/8 oz jar (7.4 m²/236 ml jar)
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE	200 ft²/gal (4.9 m²/L)
		See page 123	SPARTACOTE GRIP Traction Additive	3 oz/gal (23 ml/L)

SPARTACOTE™ FLEX PURE™ Solid Color Coating System		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE™ FLEX PURE™ Pigment Base Kit	200 ft²/gal (4.9 m²/L)
		See page 113	SPARTACOTE POLYASPARTIC PIGMENT	
	Second Coat	9150-0002-2	SPARTACOTE FLEX PURE PIGMENT BASE KIT	200 ft²/gal (4.9 m²/L)
		See page 113	SPARTACOTE POLYASPARTIC PIGMENT	
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	200 ft²/gal (4.9 m²/L)

SPARTACOTE CHIP PURE™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE FLEX PURE PIGMENT BASE KIT	200 ft²/gal (4.9 m²/L)
		See page 113	SPARTACOTE POLYASPARTIC PIGMENT	
	Chip Broadcast	See page 121	SPARTACOTE Blended Chip, 55 lb (25 kg) box	400 ft²/box (37 m²/box)
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	200 ft²/gal (4.9 m²/L)

SPARTACOTE MICA CHIP PURE™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE FLEX PURE PIGMENT BASE KIT	200 ft²/gal (4.9 m²/L)
		See page 113	SPARTACOTE POLYASPARTIC PIGMENT	
	Chip Broadcast	See page 121	SPARTACOTE BLENDED MICA CHIP, 25 lb (11.3 kg) box	400 ft²/box (37 m²/box)
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	180 ft²/gal (4.4 m²/L)
	2nd Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	200 ft²/gal (4.9 m²/L)

SPARTACOTE QUARTZ PURE™ Quartz Flooring		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE FLEX PURE PIGMENT BASE KIT	200 ft²/gal (4.9 m²/L)
		See page 113	SPARTACOTE POLYASPARTIC PIGMENT	
	Quartz Broadcast	See page 122	SPARTACOTE BLENDED QUARTZ, 50 lb (22.7 kg) bag	200 ft²/bag (18.8 m²/bag)
	Broadcast Coat	9150-0002-2	SPARTACOTE FLEX PURE Clear	150 ft²/gal (3.7 m²/L)
	Quartz Broadcast	See page 122	SPARTACOTE BLENDED QUARTZ, 50 lb (22.7 kg) bag	200 ft²/bag (18.8 m²/bag)
	Grout Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	150 ft²/gal (3.7 m²/L)
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	200 ft²/gal (4.9 m²/L)